



OFFICIAL HOLSTEIN PEDIGREE



U.S. Registered Holsteins
FOR MAXIMUM PROFIT

Holstein Association USA, Inc.

U.S. Registered Holsteins
FOR MAXIMUM PROFIT

www.holsteinusa.com

100% Registered Holstein Ancestry (RHA-NA)

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

PTA +1308M +66F +49P 95%R 12/2018
PTA +798NM +.06%F +.03%P 90%US
PTA +6.3PL 2.80SCS +2.2DPR 5.5%DCE
PTA +1.70T +2.93UDC +1.26FLC 91%R 12/2018
PTA +160FE +2.3FI 6.2%SCE
D/AV 30042M 3.9%F 1166F 3.1%P 939P 82.7T

513HO03091 DETOUR
07/08/2014 MALE

TRANS-AMERICA GENETICS
%PATRICE SIMARD
4855, BOULEVARD LAURIER #10
ST-HYACINTHE, QUE, J2S 3V4
CANADA
450/771-6444

49K GTPI 99%R
+2222 G

GENERVATIONS EPIC-ET
CAN 11104016 100%RHA-NA TR TP TY TV TL
7-01 94 EEEE GM 12/14 05/26/2010

PTA +1023M +27F +32P 99%R 12/2018
PTA +410NM -.04%F +.00%P 21%US
PTA +4.3PL 2.83SCS +1.6DPR 6.7%DCE
PTA +1.74T +1.41UDC +1.69FLC 99%R 12/2018

50K GTPI 92%R
+2242 G

ROYLANE SOCRA MIRA 1760-ET
USA 64966736 100%RHA-NA TY TV TL TD
6-09 91 EEVVE 2E DOM 12/23/2008

PTA +1339M +39F +49P 93%R 12/2018
PTA +503NM -.04%F +.03%P 100%US
PTA +3.5PL 2.87SCS +.3DPR 7.3%DCE
PTA +.86T +.55UDC +.65FLC 92%R 12/2018

AGE	X	DAYS	MILK	DCRM	%	FAT	%	PRT	DCRC
**	2-04	3	305	26900	91	3.5	941	3.3	890 91
			365	32960	91	3.5	1168	3.4	1109 91
***	3-11	3	305	38790	102	4.2	1617	3.2	1257 90
***	5-11	3	305	40080	100	3.5	1411	3.3	1328 91
	LIFE		1713	180370		3.7	6734	3.4	6172

50K GTPI 99%R
+2431 G

MOUNTFIELD SSI DCY MOGUL-ET
840003006972816 100%RHA-NA TR TP TC TY
7-00 93 EEVE GM 8/15 06/22/2010

PTA +1201M +75F +39P 99%R 12/2018
PTA +612NM +.11%F +.01%P 66%US
PTA +2.4PL 3.02SCS -.8DPR 3.9%DCE
PTA +2.17T +3.12UDC +2.09FLC 99%R 12/2018

3K GTPI 84%R
+2059 G

RONELEE HERO DIJON-ET
USA 140861819 100%RHA-NA
2-09 87 VVVVV 07/22/2010

PTA +761M +43F +20P 85%R 12/2018
PTA +300NM +.05%F -.01%P 6.5%DCE
PTA +1.3PL 2.96SCS -.2DPR 85%R 12/2018
PTA +2.10T +1.59UDC +.97FLC

AGE	X	DAYS	MILK	DCRM	%	FAT	%	PRT	DCRC
***	2-04	3	305	27160	100	4.5	1216	3.2	862 97X
			306	27230	100	4.5	1220	3.2	864 97